

"On Time And Right The First Time"

(678) 541-0303 ■ d7supply.com



Welcome To TABLE OF CONTENTS

where we treat customers like family and provide high quality roofing and insulation materials at competitive prices for the building industry. Opening in 2008, Division 7 Supply is one of the most reliable and comprehensive building supply companies in the Southeast. Our Leadership team has over 100 years of combined experience in the construction industry and a passion for getting your project completed **On Time and Right The First Time**.

Along with roofing and insulation, Division 7 Supply also specializes in custom metal fabrication. We are committed to quality workmanship, competitive pricing and professional integrity in every project we do. We take pride in our innovative solutions to today's complicated construction problems and our ability to adapt to an ever-changing industry.

Within each product division, we offer a variety of brands to suit your budgetary needs and design preference. We like to partner with our customers and help them with their business - we are not looking for that one-time sale. Before every order is shipped out, it goes through our 5-point check system to insure your order is correct. For those customers who prefer to pick-up their order, we offer free drinks and popcorn.

We look forward to the opportunity to serve you now and for many years to come.

INSULATION ACCESSORIES INSULATION PRODUCTS

Cellulose & Mineral Wool (SAFB) Insulation5
Johns Manville Spray Foam Insulation6-7
Graco Fusion Gun Parts8
Spray Foam Equipment & Accessories9-10
Board Products & Lubes and Foam Reseases10
Reflective Insulation and Barriers11
Fastening Tools & Hand Tools12
Stapler Parts & Insulation Accessories13
Caulk & Foam Sealants14
Gun Applicators, Tapes & Safety Accessories15
Personal Protection & Attic Products16
Insulation Supporting Materials & Barriers17
Poly Sheeting, Baffles & Vacuum Machines18
Stilts & Stilt Parts19
Hose, Parts & Blowing Machines20
Safety Accessories21

Johns Manville Fiberglass Insulation.....1-4



Formaldehyde-free™ Insulation Products

Johns Manville products have a difference you can see. With the only complete line of certified Formaldehyde-free™ fiberglass insulation products, it's a difference in performance and quality that you'll only get with Johns Manville. Johns Manville offers more than just standard kraft and unfaced batts; we offer innovative solutions with our fiberglass insulation. Whether you're building a new structure or retrofitting an existing home, each of our insulation products is tested and proven to provide superior performance and energy efficiency for the life of a home.





Unfaced

Unfaced batt insulation does not have a vapor retarder. Ideal for insulating interior walls for sound control and re-insulating attics.



Kraft-Faced batt insulation has a standard vapor retarder that is easily cut to fit the cavity.



ComfortTherm®

ComfortTherm® batt insulation is wrapped in plastic for a more comfortable installation with less itch and dust. The plastic encapsulation also serves as a vapor retarder.



M Johns Manville

CUSTOM INSULATION SYSTEMS

The Johns Manville Custom Insulation System uses spray-in and blown-in methods for a custom insulation fit in every size and shape of framing. That means no hot or cold spots, so you get superior thermal performance, better sound control and more effective moisture management throughout every part of your home.

The JM Custom Insulation System creates a customized, complete thermal envelope and more.

JM SPIDER®



JM Spider® fiberglass insulation is combined with an adhesive that allows the installer to spray the insulation into the cavity providing a custom fit. The insulation is sprayed in virtually dry so drywall can be installed right away. Fills all gaps and voids for superior thermal, acoustical and moisture management performance.

JM CLIMATE PRO®



JM Climate Pro® fiberglass insulation is blown into attics, nonconforming spaces and hard-to-reach areas, like corners, edges and around framing. When it's applied to the recommended thickness, you can be assured that your home is energy efficient, with minimal heat loss. It won't decay or provide food for animals, insects or microbes.

FEATURES

- Thermal protection up to R-15 in 2x4 framing or R-23 in 2x6 framing
- Sound control that only gap-free coverage can provide
- No drying time needed, even when installed with adhesive; won't absorb or hold moisture later
- Natural mold resistance; available with a mold inhibitor for extra protection for your insulation investment
- Fire resistance, because it's made from noncombustible glass
- And it can be used in both new construction and retrofit applications

Johns Manville ClimatePro				
R-Value Thickness Coverage SF/B				
R13	5.0"	176		
R19	7.2"	118		
R30	11.1"	73		
R38	13.8"	56		
R44	15.7"	48		
R49	17.3"	43		
R60	20.7"	34		



All In-Stock Items

R-VALUE	Part No.	Thickness	Width & Length	Pieces/ Pkg	SqFt/Pkg	Pkgs/ Unit	TL Factor 53'
KRAFT-F	ACED						
R-11	K1254	3.50"	15" x 93"	16	155.00	5	0.128
K-11	K1296	3.50"	15" x 105"	16	175.00	5	0.139
	ELK004	3.50"	11" x 93"	22	156.29	4	0.240
	K1241	3.50"	15" x 93"	11	106.56	5	0.128
R-13	K1297	3.50"	15" x 105"	11	120.31	4	0.174
	K1205	3.50"	16" x 96"	11	117.33	5	0.128
	K292	3.50"	23" x 93"	11	163.39	4	0.240
R-15	K1262	3.50"	15" x 93"	7	67.81	5	0.128
11-13	K1299	3.50"	15" x 105"	7	76.56	4	0.174
	ELK005	6.50"	11" x 93"	18	127.87	4	0.240
	K1250	6.50"	15" x 93"	9	87.18	4	0.160
	K1298	6.50"	15" x 105"	10	109.37	4	0.174
R-19	K833	6.50"	16" x 96"	9	96.00	4	0.160
	ELK006	6.50"	19.25" x 48"	18	115.50	4	0.192
	K223	6.50"	23" x 48"	18	138.00	4	0.240
	K259	6.50"	24" x 48"	18	144.00	4	0.240
R-30	K1242	10.25"	16" x 48"	11	58.66	4	0.160
K-30	K1243	10.25"	24" x 48"	11	88.00	4	0.240
R-30C	K1223	8.25"	23.625" x 48"	11	86.62	4	0.240
N-30C	K1264	8.25"	15.5" x 48"	11	56.83	4	0.160
R-38	K1244	13.00"	16" x 48"	8	42.66	4	0.160
11-30	K1245	13.00"	24" x 48"	8	64.00	4	0.240



M Johns Manville

All In-Stock Items

R-VALUE	Part No.	Thickness	Width & Length	Pieces/ Pkg	SqFt/Pkg	Pkgs/ Unit	TL Factor 53'
UNFACE							
	U1368	3.50"	15" x 105"	16	175.00	5	0.139
R-11	AU397	3.625"	16" x 96"	16	170.66	5	0.128
	AU398	3.625"	24" x 96"	16	256.00	4	0.240
	U1330	3.50"	15" x 93"	11	106.56	5	0.128
R-13	U1369	3.50"	15" x 105"	11	120.31	4	0.173
	U1315	3.50"	24" x 96"	11	176.00	4	0.240
R-15	U1371	3.50"	15" x 105"	7	76.56	4	0.174
	AU395	6.50"	16" x 96"	9	96.00	4	0.160
D 40	U1312	6.50"	19" x 48"	18	114.00	4	0.192
R-19	AU333	6.50"	24" x 48"	18	144.00	4	0.240
	AU396	6.50"	24" x 96"	9	144.00	4	0.240
R-30	U1343	10.25"	16" x 48"	11	58.66	4	0.160
K-30	U1344	10.25"	24" x 48"	11	88.00	4	0.240
COMFOR	T THERM	POLY-WF	RAPPED				
R-19	E004	6.50"	15" x 93"	9	87.18	4	0.160
R-19	CE005	6.50"	16" x 48"	18	96.00	4	0.160
R-30	E010	10.25"	24" x 48"	11	88.00	4	0.240
ROCKWO	OL SAFB						
3"	MW316-A	3"	16" x 48"	7	53.33	4	0.128
<u> </u>	MW324-A	3"	24" x 48"	6	80.00	4	0.240

INSULATION PRODUCTS

Cellulose & Mineral Wool (SAFB) Insulation



Cellulose Insulation

Cellulose insulation is a loose-fill product that is manufactured from recycled wood products, various paper products (primarily newspaper), for use in various blown in applications such as attics and wall cavities. The product is chemically treated to make it fungi resistant and fire retardant.



Greenshield Stabilized Attic Spray (26lbs bag)				
R-Value Thickness Coverage SF/Ba				
R13	3.7"	101.1		
R19	5.4"	63.3		
R30	8.50"	36.0		
R38	10.7"	26.9		
R50	14.1"	19.2		





Mineral Wool (SAFB)

Mineral wool fiber insulations are made from basalt rock and slag. This combination results in a non-combustible, sound attenuation product with a melting point of approximately 2150 F, which gives it excellent fire resistance properties. Mineral wool is a water repellent yet vapor permeable material.



JM Johns Manville

JOHNS MANVILLE OPEN CELL SPRAY FOAM



SPECIFICATIONS

- 16,000-18,000 board feet/set
- 950 lbs/set

Johns Manville Corbond® Open-cell Spray Foam is a lower density, nonstructural insulation that offers an R-Value of R-3.8 per inch. It delivers high yield, minimizes sound transmission and virtually eliminates any air leakage. It's designed to improve energy efficiency for a wide variety of residential, commercial and industrial applications and can act as an effective air barrier.

ADVANTAGES

- Energy-Efficient: Helps to improve energy efficiency by filling in gaps and cracks while creating an air seal.
- Air Barrier: Air-impermeable at 3.75".
- **Sound Transmission:** Performs well acoustically when used in an assembly.
- Installation: Provides high yield with superior spray-ability at an exceptional value and low odor.
 Meets requirements for application without an ignition barrier attics and crawl spaces.

JOHNS MANVILLE CORBOND OPEN CELL APPENDIX X



SPECIFICATIONS

- 15,000-16,000 board feet/set
- 1,000 lbs/set

Johns Manville Corbond® Open-cell Appendix X Spray Foam provides an R-Value of R-3.7 per inch, and meets AC 377 NFPA 286 Appendix X requirements for application without an ignition barrier in attics and crawl spaces. This low-density, nonstructural insulation allows for high yield while providing excellent heat, air and sound control. Recommended for use in residential, commercial and industrial applications.

ADVANTAGES

- Energy-Efficient: Helps to improve energy efficiency by filling in gaps and cracks while creating an air seal.
- Air Barrier: Air-impermeable at 3.5".
- **Sound Transmission:** Performs well acoustically when used in an assembly.
- Installation: Provides high yield with superior spray-ability at an exceptional value and low odor.
 Meets requirements for application without an ignition barrier attics and crawl spaces.

Johns Manville

JOHNS MANVILLE CORBOND III® CLOSED CELL SPRAY FOAM



SPECIFICATIONS

- 5,100-5,200 board feet/set
- 1,000 lbs/set

Johns Manville Corbond III® closed-cell spray polyurethane foam insulation offers and R-Value of R-7 per inch and can be applied in a single pass to a maximum of 3.5 inches, providing superior thermal performance with seamless air sealing and moisture control in a single step. Multiple immediate passes, with no wait time, may also be applied. With high yield and excellent adhesion, it's an ideal choice for high-performing energy efficient commercial, residential and industrial applications.

ADVANTAGES


- **Complete Coverage:** Expands and adheres without shrinking or settling.
- **Energy-Efficient:** Reduces air and moisture infiltration to the building envelope and provides continuous coverage for high thermal performance.
- **Air Barrier:** Prevents leaks when installed at 1" thickness or more.
- **Moisture Performance:** Resists mold growth; meets current vapor retarder codes.
- Wide Application Temperature Range:
 Can be applied between 20°F and 120°F, delivering consistent performance with seasonal versatility.
- **Faster Installation:** Spray easily in a single pass from a minimum of .5" to a maximum of 3.5". Multiple immediate passes, with no wait time, may also be applied.
- Commercial Approvals: NFPA 285 assembly approvals. Appendix X approval for application in unoccupied attics and crawl spaces without a prescriptive ignition barrier or coating.



Graco Fusion Gun Parts



GRACO Fusion Gun Parts (Special Order) Contact Us For More Details



GRACO Parts Below Are Available For Shipping Or Pick Up



Drill Bit Clean Out Kit

ITEM NO.	DESCRIPTION	UNITS
50, 55, 58	Graco Clean Out Bit	6 / Pack
53	Graco Nozzle Bit	6 / Pack



Extension Tip Kits For AP Fusion Gun

ITEM NO.	DESCRIPTION	UNITS
70002941	Graco Extension Tip Kit 0.07x1.00" AR/AF5252	Each
70003042	Graco Extension Tip Kit 0.07x0.5" AR/AF5252	Each





Extension Tip Air Cap Kit & Pin Vise For AP Fusion Gun

ITEM NO.	DESCRIPTION	UNITS
70004350	Extension Tip Air Cap Kit	Each
70002315	Graco #117661 Pin Vise	Each



Lubricants for AP Fusion Gun

ITEM NO.	DESCRIPTION	UNITS
70002275	Lubricant Grease Cartridge 3oz.	Each
70002471	Lubricant Grease Tube 4oz.	Each



O-Ring Kit for AP Fusion Gun

Complete O-Ring kit for AP Fusion guns.

ITEM NO.	DESCRIPTION	UNITS
APFORK	O-Ring Kit	Each
70002164	Side Seal O-Rings	6 / Pack





Side Seals for AP Fusion Gun

ITEM NO.	DESCRIPTION	UNITS
70002561	Graco Stainless Steel Side Seals	Pair
70002834	Poly-carb Side Seals	Pair





Mesh Screens for AP Fusion Gun & Y-Strainer

ITEM NO.	DESCRIPTION	UNITS
JC246359	80 Mesh Screen for AP Fusion Gun	10 Pack
70002451	20 Mesh Screen for Y-Strainer	
70003209	60 Mesh Check Valve Screen	10 Pack



Mixing Chamber for AP Fusion Gun

ITEM NO.	DESCRIPTION	UNITS
MC4242	4242 Mixing Chamber	Each
MC5252	5252 Mixing Chamber	Each



Check Valve Repair Kits for AP Fusion Gun

ITEM NO.	DESCRIPTION	UNITS
70002558	Check Valve Kit A Side for AP Fusion Gun	Each
70002559	Check Valve Kit B Side for AP Fusion Gun	Each





Pura Foam Insulation Release

ITEM NO.	DESCRIPTION	UNITS
PIR1025	Pura Insulation Release (12oz.)	Each



Corbond StickNot™ Solvent Cleaner

ITEM NO.	DESCRIPTION	UNITS
301260	Corbond StickNot CU6 Solvent Cleaner	1 Gallon



Corbond Pump Lube

ITEM NO.	DESCRIPTION	UNITS
301210	Corbond Pump Lube	1 Gallon



Desiccant Replacement Cartridge


ITEM NO.	DESCRIPTION	UNITS
JC404051	Desiccant Replacement Cartridge	Each



ThermoSheath Non-Structural Sheathing (Green)

Can be used as Air Barrier, Moisture Barrier or Draft Stop.

ITEM NO.	DESCRIPTION	UNITS
18TPLY48G	4' x 8' ThermoSheath (525 sheets pallet)	Each
18TPLY49G	4' x 9' ThermoSheath (465 sheets pallet)	Each





DOW Thermax Int./Ext. Reflective Insulation Board & DOW StyroFoam XPS Insulation Board

ITEM NO.	DESCRIPTION	UNITS
268431	3/4" x 4' x 8' Thermax (R-5)	28 sheets / bdl
268433	1" x 4' x 8' Thermax (R-6.5)	21 sheets / bdl
268469	1.5" x 4' x 8' Thermax (R-9.8)	29 sheets / bdl
1647	Dow Styrofoam 1" x 48" x 96" (R-5)	12 sheets / bdl
286632	Dow Styrofoam .55" x 4' x 8' (R-3)	80 sheets / bdl

Reflective Insulation & Barriers



NT Radiant Barrier

Radiant Barrier for attics is a perforated sheet made up of a single layer of polyethylene reinforcing scrim, bonded to – and sandwiched between – two highly reflective metalized sheets.

ITEM NO.	DESCRIPTION	UNITS
AYR-FOILRB	4' x 250' NT Radiant Barrier	Roll



Reflective Single Bubble Insulation

Reflective Insulation is a single layer of polyethylene bubbles, sandwiched between two highly reflective surfaces. Typical system R-values incorporating Reflective Insulation, range from R-6.1 to R-14.7, and all products in this line are Class 1/Class A in accordance with the ASTM E84 fire test standard. In addition to increasing the thermal resistance of a building envelope, our bubble-core products are approved vapor barriers.

FEATURES

- Class 1 / Class A Fire Rating
- Available in Square Edge,
 Quick Seam or Tab Two
- Unaffected by moisture & humidity
- Radiant and vapor barrier all-in-one
- Reflects 94% of radiant heat

ITEM NO.	DESCRIPTION	UNITS
AYR-FOILSB	4' x 125' Single Bubble Radiant	Roll

nes15



Acceptable Thermal Barrier over Spray Foam

Thermal Barrier Coverage:

450 Sq Ft Per 5 Gallons at 18 Mils Thick Wet (or 12 Mils Thick Dry)

DC-315 Thermal Barrier - Ignition Barrier (Ice Gray)

DC-315 is an interior ignition or thermal barrier coating for polyurethane spray foam insulation. Depending on your particular application, an ignition thermal barrier is required by the Building Code. DC-315 is a water based latex system that dries quickly and reaches maximum properties in less than 14 days. Requires an airless sprayer with a minimum of 1 GPM or 3300 PSI and a tip size between 525 and 529.

ITEM NO.	DESCRIPTION	UNITS
588-6627	DC-315 Thermal-Ignition Barrier	5 Gallons

Ignition Barrier Coverage:

650 Sq Ft Per 5 Gallons at 12 Mils Thick Wet (or 8 Mils Thick Dry)





Rapid 11-7/16" x 3/8" Hammer Tacker

ITEM NO.	DESCRIPTION	UNITS
RAPID11	Rapid 11 Hammer Tacker	Each
EA1110	11-7/16" x 3/8" Staple (fits Arrow T-50)	20 Box/Case



Rapid 19-3/8" x 1/4" Hammer Tacker

ITEM NO.	DESCRIPTION	UNITS
RAPID19	Rapid 19 Hammer Tacker	Each
ER19-06	Rapid 19-3/8" x 1/4" Staple	48 Box/Case



Bostitch Hammer Tackers

ITEM NO.	DESCRIPTION	UNITS
H30-6	Bostitch H30-6 Hammer Tacker	Each
EB-STCR-2619-08	Bostitch H30-6 7/16" x 5/16" Staple	50 Box/Case
H30-610	Bostitch H30-6 Pivot Pin	Each
H30-624	Bostitch H30-6 Driver	Each
H30-615	Bostitch H30-6 Return Spring	Each



Hyde Batt Knives

ITEM NO.	DESCRIPTION	UNITS
8BK	8" Batt Knife	Each




Retractable Utility Knife

ITEM NO.	DESCRIPTION	UNITS
KNIFE-RETR-STD	Retractable Utility Knife	Each
	Utility Knife & Hook Replacement Blades AJC	

Bostitch H30-6

ITEM NO.	DESCRIPTION
BS-603	Bumper
BS-624	Driver for H30-6
BS-601	Frame
BS-623	Grip
BS-606	Magazine Assembly for H30-6
BS-616	Magazine Assembly
BS-806	Pan Head Screw
BS-610	Pivot Pin
BS-607	Pusher
BS-608	Pusher Spring
BS-615	Return Spring
BS-609	Roller
BS-605	Top Guide





4 Piece Pick Kit

ITEM NO.	DESCRIPTION	UNITS
GUNPICK	4 Piece Pick Kit	Each



36" Foam Saw Blade

ITEM NO.	DESCRIPTION	UNITS
106609	36" Foam Saw Blade	Each



Curry Combs Combo Set

ITEM NO.	DESCRIPTION	UNITS
MAC605	Curry Combs Combo Set 4" & 5" Set	Each







Caulk, Fire Caulk & Silicone

ITEM NO.	DESCRIPTION	UNITS
0746	Red Devil Painter's Caulk	12 / Case
0826OI	Red Devil RTV Clear Pro Silicone 50 Year Warranty	12 / Case
CLK136	Boss 136 Draft Stop Fire Caulk 10.1oz	12 / Case
LC150	Red Devil Fire Stop LC 150RD Intumescent	12 / Case
	Sealant 10.1 oz	



Gun Foam

ITEM NO.	DESCRIPTION	UNITS
342092	DOW Enerfoam Adhesive & Sealant 24oz. White	12 / Case
TYTLA24	Tytan Black Landscape Foam 24oz.	12 / Case
TYTCL12	Tytan Foam Gun Cleaner 12oz.	12 / Case
TYTWD24	Tytan Window & Door Foam 24oz.	12 / Case
TYTFBAP24	Tytan Fireblock AP 24oz.	12 / Case



Dow® Two Component Foam System

Dow Pro System is a completely self-contained 2-component foam system that is portable and disposable. Complete with color-coded hoses, ergonomic foam applicator, and all the necessary tips to get started. This 2-part spray foam comes in both 200 bd. ft. and 600 bd. ft. kits. Use it to insulate, fill wall cavities, deaden sound and more. E-84 Class 1 rated.

ITEM NO.	DESCRIPTION	UNITS
11098207	Dow 210 Bd. Ft. Kit - 1.75 PCF Class A Rated	2-Part
DOW650-A	Dow 650 Bd. Ft. Kit - 1.75 PCF Class A Rated	2-Part
158-399	Gun with 30 Ft. Gun Hose Assembly with Tips	Each
259219	Dow Foam Kit Cone Nozzles	25 / Pack
259216	Dow Foam Kit Fan Nozzles	25 / Pack

Caulk & Foam Applicators, Adhesives, Tapes, Safety Pouches & Belts



CG20 Hex Rod Caulk Gun 10oz.

ITEM NO.	DESCRIPTION	UNITS
6503-77021	CG20 Hex Rod Caulk Gun 10oz.	Each



Foam Gun & Long Barrel Foam Gun

ITEM NO.	DESCRIPTION	UNITS
TYTFG	Foam Gun 7.5" Barrel	Each
TYTLBFG	Long Barrel Foam Gun	Each



Duct & FSK Tapes

ITEM NO.	DESCRIPTION	UNITS
913-9262	Duct Tape, Red (2" x 60 yds)	24 / Case
TK350C	FSK Tape (3" x 50 yds)	16 / Case



White PSK Tapes and Housewrap Tapes

ITEM NO.	DESCRIPTION	UNITS
TWMPVRWH	White PSK Tape (3" x 50 yds)	16 / Case
PERSHT	Perma House Wrap Tape 1.87" x 55 yd	Roll



Safety Insulator Pouch

ITEM NO.	DESCRIPTION	UNITS
PSTLPCH	Insulator Pouch	Each



Safety Web Belt

ITEM NO.	DESCRIPTION	UNITS
PSBELTL	2" x 46" Leather Belt	Each





Polypropylene Hooded Suits (elastic wrist/ankles)

Polypropylene is a breathable protective wear for nonhazardous workplaces. Its porous construction offers breathability that makes them cool and comfortable, while offering economical protection from dirt and grime.

ITEM NO.	DESCRIPTION	UNITS
30127-2XL	Polypropylene Suit - 2XL	25 / Case



Shoe Covers

ITEM NO.	DESCRIPTION	UNITS
174-3111	Polypropylene Shoe Covers - 50/Pack	150 Pair / Case



Draft Cap

Made of durable dust-free expanded polystyrene foam, the Draft Cap will reduce heat loss and heat gain and help you save on your heating and cooling bills. Lightweight and easily installed in less than 5 minutes, the Draft Cap attic stair insulator satisfies all current energy building codes for insulation over the attic access panel with an R-value of 11.

ITEM NO.	DESCRIPTION	UNITS
ASC	Draft Cap Attic Stair Insulator	7 / Pallet



Draftmaster® Attic Cover Insulator

Draftmaster® Attic Cover is made of highly reflective thermal radiant barrier. This attaic stairway insulator is light, thin, and effective, reflecting up to 96% of radiant heat and sealing gaps. It has heavy-duty zippers to allow easy access to the attic, and the cover helps to keep valuable heated and cooled air in the living space where your customers want it. Offers R-Value of 15.

ITEM NO.	DESCRIPTION	UNITS
AI542616	Draftmaster Attic Cover 26" x 54" x 12"	Each
Al5422	Draftmaster Attic Cover 22" x 54" x 12"	Each

Insulation Supporting Materials & Barriers



Insulation Wire Supports (tiger teeth)

13 guage spring wire supports are an economical way to install roll and batt insulation in floors, walls and ceilings. Boxed 500 per carton.

ITEM NO.	DESCRIPTION	UNITS
WS12	12" Supports	Box
WS16	16" Supports	Box
WS17	17" Supports	Box
WS20	20" Supports	Box
WS21	21" Supports	Box
WS25	25" Supports	Box
WS26	26" Supports	Box



Recessed Can Light Protection

Lightweight and cuts easily. Use as a barrier to keep insulation away from recessed lights and other heat producing fixtures.

ITEM NO.	DESCRIPTION	UNITS
VA12	12" x 50' Flashing	Roll
VA20	20" x 50' Flashing	Roll



Tenmat Recessed Can Light Protection

Tenmat Recessed Can Light cover is a fire resistant enclosure that was specifically designed to protect your light fixture from insulation in the attic and to stop unwanted air leakage through your recessed light.

ITEM NO.	DESCRIPTION	UNITS
FF130E	Tenmat Elliptical Shape 15"L x 14"W x 9"H	Each



Fabric Netting

Polyester fabric is used in various insulation applications, and is an ideal backing for wet spray cellulose.

ITEM NO.	DESCRIPTION	UNITS
ISNFISO108750-45	Fabric Netting (9'x375' roll)	Roll

17



Poly Sheeting, Baffles & Vacuum Machine

Poly Sheeting



ITEM NO.	DESCRIPTION	UNITS
152-3471	0.7 Mill Poly (9'x400' Clear)	Roll
POLY1.5	1.5 Mill Poly (8'4"x200' Clear)	Roll
4ML10X100CL	4 Mill Poly (10'x100' Clear)	Roll
6M10x100CL	6 Mill Poly (10'x100' Clear)	Roll
6MPOLY10100BK	6 Mill Poly (10'x100' Black)	Roll
591-4262	6 Mill Poly (20'x100' Clear)	Roll



Vapor Barrier Skrim

Scrim Reinforced Laminate. Used for more demanding applications requiring high tear resistence. A heavy scrim reinforcement placed between plies greatly enhances tear resistance and increases service life.

ITEM NO.	DESCRIPTION	UNITS
DS1212100BKWH	12 Mil Vapor Barrier Skrim (12'x100' White/Black)	Roll
DS812100BKWH	8 Mil Vapor Barrier Skrim (12'x100' White/Black)	Roll
VBTAPE	Vapor Bond Tape 4"x210'	Roll



Polystyrene Baffles & Cardboard Baffles

ITEM NO.	DESCRIPTION	UNITS
BAFF	Polystyrene Baffles	50/Bundle
CBAFF1623	Cardboard Baffles 16" OC x 23" Long	50/Bundle
CBAFF2423	Cardboard Baffles 24" OC x 23" Long	50/Bundle



Meyer Versa Vac

Designed for fast, profitable removal of insulation from attics, sidewalls and crawl spaces. Removes blown-in insulation and plaster chips - wet or dry. Attaches easily to vacuum bags. **For rent locally or for sale.**

ITEM NO.	DESCRIPTION	UNITS
MEYERVAC19HP	Meyer Versa Vac 19hp	Each


Stilts & Stilt Parts



Dura-III Stilts

The Dura-III is the finest leg extension device ever produced. It combines the best innovative design concepts and technology. It features a steel insert at the adjustment screw location and field replaceable nylon leg sleeves. No matter what trade you are in, if you have a need for movement at elevated heights, you owe it to yourself to consider the Dura-III. You'll find yourself accomplishing more with less effort.

ITEM NO.	DESCRIPTION	UNITS
	Dura-III 14" to 22" Adjustable	Pair
	Dura-III 18" to 30" Adjustable	Pair
	Dura-III 24" to 40" Adjustable	Pair





Hose, Parts & Blowing Machines

Blowing Hose

ITEM NO.	DESCRIPTION	UNITS
TLH2550P	2-1/2" x 50' Blowing Hose	Each
TLH350P	3" x 50' Blowing Hose	Each
TLH3550P	3-1/2" x 50' Blowing Hose	Each
MK4050	4" x 50' Blowing Hose	Each



Nozzles, Connectors, Reducers & Clamps

ITEM NO.	DESCRIPTION	UNITS
Call	Swivel Nozzle, 2-1/2" Hose to 2"	Each
Call	Connector, Steel, For 2", 2-1/2", 3", 3-1/2", 4" Hose	Each
Call	Reducer, Steel	Each
TLHC25	Hose Clamp Fits 2" to 3-1/2"	Each
TLHC03	Hose Clamp 3"	Each
TLHC04	Hose Clamp Fits 3" to 4"	Each





ASK US HOW TO GET A FREE RENTAL ON THESE MACHINES!

Insulation Blowing Machines: Wasp or AttiCat

The Wasp

The Wasp literally does it all. With a cellulose production rate of 1750 pounds per hour (75 bags per hour) and a fiberglass rate of 475 pounds per hour (18 bags per hour), it can easily insulate a 1000 square foot attic in less than an hour.

AttiCat

The AttiCat Insulation Blowing machine works with any blown-in fiberglass. The machine breaks up the insulation so you can easily blow the material into the attic, thus reducing the heating and cooling costs.

ITEM NO.	DESCRIPTION	UNITS
	The Wasp Insulation Blowing Machine	Each
	AttiCat Insulation Blowing Machine	Each



Vacuum Bags

Made of 100% polypropylene. Bag dimensions are 70" long x 48" diameter, with a 12" neck that is 10" in diameter. Bag capacity is 75 cubic feet per bag. (10) bags per box. (For an approximate calculation of bags you will need, assume 1 bag for every 200 square feet of 6" deep loose-fill insulation.)

ITEM NO.	DESCRIPTION	UNITS
450TB049	Vacuum Bags	Each



Disposable Dust Masks

ITEM NO.	DESCRIPTION	UNITS
789-7259	8210 N95 Dust Mask No Valve 3M	20 / Box
3M8511V/3M8511	Dust Mask with Valve	10 / Box

INSULATION ACCE



Full Facepiece Respirators

ITEM NO.	DESCRIPTION	UNITS
3M501	3M501 Half Face Respirator Retainer	Each
3M6900	3M Full Face Respirator	Each
124-9739	3M Pre Filters O/V Cartridge	3 Pair/Pk
3M8511V	3M8511 Dust Mask with Valve	10/Box
471-8185	3M69P71 Full Face Respirator Large P95	Each
475-1491	3M68P71 Full Face Repirator Medium P95	Each
573-4298	3M O/V Cartridges	2 Pair/Box
789-7259	3M8210 N95 Dust Mask	20/Box



Advanz Spray Goggles

ITEM NO.	DESCRIPTION	UNITS
155-4021	Advanz Spray Goggles	Each
489-4630	Advanz Lens Covers	Each



Spray Socks

ITEM NO.	DESCRIPTION	UNITS
100-4217	Stretch Spray Socks	6 Pack



Gloves

ITEM NO.	DESCRIPTION	UNITS
126-WG	Blue Dipped Wonder Gloves	Pair
NIGLPF100	Nitrile Gloves	90 / Box

